

What is claimed is:

1 1. A grout composition that sets after being mixed with
2 water comprising:

3 an anhydrous structural filler that comprises between 10
4 and 90% by weight of the total grout composition; and
5 a moisture curable polymer.

1 2. The grout composition of claim 1 which further
2 comprises an effective amount of a retarding agent to provide
3 a retarding effect on the setting of the grout composition.

1 3. The grout composition of claim 1 wherein the
2 anhydrous filler comprises Portland cement.

1 4. The grout composition of claim 3 wherein the
2 Portland cement is rapid hardening Portland cement.

1 5. The grout composition of claim 1 wherein the
2 Portland cement comprises between 30 and 55% by weight of the
3 total grout composition.

1 6. The grout composition of claim 1 further comprising
2 a color.

1 7. The grout composition of claim 1 further comprising
2 a stabilizer.

1 8. The grout composition of claim 1 further comprising
2 a rheological agent.

1 9. The grout composition of claim 1 further comprising
2 a plasticizer.

1 10. The grout composition of claim 1 wherein the
2 moisture curable polymer is selected from the group consisting
3 of polyacetoacetate, polyisocyanates and mixtures thereof.

1 11. A moisture curable grout kit comprising:
2 a container comprising a moisture curable compound; and
3 a contained comprising a structural filler.

1 12. The kit of claim 11 wherein the structural filler
2 further comprises moisture.

1 13. The kit of claim 11 further comprising an effective
2 amount of a retarding agent to provide a retarding effect on
3 the setting of the grout composition.

1 14. The kit of claim 11 wherein the anhydrous filler
2 comprises Portland cement.

1 15. The kit of claim 11 wherein the structural filler is
2 rapid hardening Portland cement.

1 16. The kit of claim 11 wherein the Portland cement
2 comprises between 30 and 55% by weight of the total grout
3 composition.

1 17. The kit of claim 11 further comprising a color.

1 18. The kit of claim 11 further comprising a stabilizer.

1 19. The kit of claim 11 further comprising a rheological
2 agent.

1 20. The kit of claim 11 further comprising a
2 plasticizer.

1 21. The kit of claim 11 wherein the moisture curable
2 polymer is selected from the group consisting of
3 polyacetoacetate, polyisocyanates and mixtures thereof.

1 22. A method of filling a gap or crevice comprising:
2 providing a moisture curable compound; and
3 adding to the moisture curable compound a structural
4 filler, wherein upon exposure to water, the moisture curable
5 filler forms a polymeric matrix along with the structural
6 filler to fill the gap or crevice.